

| L Number | Hits | Search Text   | DB  | Time stamp       |
|----------|------|---|---|------------------|
| -        | 66   | 717/104-113.ccls. and (sun adj microsystems.as. or hewlett<br>adj packard.as.) <i>reviewed all</i>                      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/08 17:32 |
| -        | 12   | 717/104-113.ccls. and (sun adj microsystems.as. or hewlett<br>adj packard.as.) and drag\$4 <i>reviewed all</i>          | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/09 16:21 |
| -        | 0    | 717/104-113.ccls. and (sun adj microsystems.as. or hewlett<br>adj packard.as.) and drag\$4 near2 representation         | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/09 16:22 |
| -        | 0    | 717/104-113.ccls. and (sun adj microsystems.as. or hewlett<br>adj packard.as.) and drag\$4 near2 symbol near3 server\$2 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/09 16:22 |
| -        | 0    | 717/104-113.ccls. and (sun adj microsystems.as. or hewlett<br>adj packard.as.) and drag\$4 near3 server\$2              | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/09 16:25 |
| -        | 0    | 717/104-113.ccls. and (sun adj microsystems.as. or hewlett<br>adj packard.as.) and drag\$4 same server\$2               | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/09 16:25 |
| -        | 30   | program\$6 near3 data near2 object\$2 same visual<br><i>rev. all</i>  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/03 13:59 |
| -        | 0    | drag\$4 same grapic\$4  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/27 09:45 |
| -        | 21   | drag\$4 same (graphic\$4 or icon or symbol) same modify<br>same server <i>rev all</i>                                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/27 11:51 |
| -        | 2    | 6,553,563.pn. <i>rev all</i>  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/03 13:39 |
| -        | 3    | multi\$tier and server near2 graph\$4 and data adj set<br><i>rev all</i>  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/03 14:01 |
| -        | 7    | (multi\$tier or three\$tier) and server near2 graph\$4 and data<br>adj set <i>rev all</i>                               | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/03 14:02 |

|   |     |   |   |                  |
|---|-----|---|---|------------------|
| - | 277 | configur\$6 same server\$2 same graph\$4 same object\$2<br><i>Scan</i>      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/03 16:58 |
| - | 170 | Init adj function or init\$data\$set or init\$connection<br><i>Scan all</i> | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/03 17:05 |
| - | 0   | init\$data\$set   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/03 17:06 |
| - | 0   | table\$schema\$module\$2  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/03 17:07 |
| - | 0   | get\$sds and update\$sds  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/03 17:08 |
| - | 48  | update\$sds<br><i>rev. all</i>  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/03 17:08 |
| - | 197 | get\$sds<br><i>scan</i>   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/03 17:08 |
| - | 10  | getds or get\$data\$set<br><i>rev all</i>                                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/03 17:10 |
| - | 1   | updateds or update\$data\$set<br><i>"</i>                                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/03 17:11 |
| - | 106 | software<br><i>scan</i>   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/03 17:26 |
| - | 16  | get adj data adj set\$2<br><i>rev. all</i>                                  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/04 13:19 |
| - | 81  | update adj data adj set\$2<br><i>scan</i>                                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/04 13:19 |
| - | 2   | (update adj data adj set\$2) same module<br><i>rev all</i>                  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/04 13:21 |

|   |     |   |   |                  |
|---|-----|---|---|------------------|
| - | 27  | (update adj data adj set\$2) same (module or program or function or method)<br><i>rev all</i> | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/04 14:24 |
| - | 260 | add near2 functionality same (object or component)<br><i>Scan</i>                             | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/04 14:26 |
| - | 110 | add near2 functionality same (object or component) and (drag or drop)<br><i>Scan</i>          | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/04 14:44 |
| - | 10  | add near2 functionality same (object or component) same (drag or drop)<br><i>rev all</i>      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/04 14:44 |
| - | 52  | drag near2 drop near3 module\$2<br><i>rev all</i>   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/08 14:10 |
| - | 132 | server same explorer same module<br><i>Scan</i>   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/08 17:35 |
| - | 42  | server near2 resource\$2 near3 (select or read or find)<br><i>rev all</i>                     | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/09 09:41 |
| - | 8   | server near2 resource\$2 same object near2 class<br><i>rev all</i>                            | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/09 09:41 |